


OAK PARK VILLAGE CONDOMINIUM

SITE PLAN DETAILS



BLOCK 1
OAKWOOD WEST SECOND SUBDIVISION

BLOCK 3
OAKWOOD WEST SUBD.

DESCRIPTION OF ADDITIONAL REAL ESTATE

Lots 2 and 3, Block 1, Oak Park Village, as the same is platted and recorded in the office of the County Recorder of Mower County, Minnesota.

Less Addendums Nos. 2, 3, 4, 5, 6, 7, 8 and 9 to Common Interest Community Number 7, OAK PARK VILLAGE CONDOMINIUM, as the same are platted and recorded in the office of the County Recorder of Mower County, Minnesota.

ADDENDUM NO. 10

And less all that part of Lot 2, Block 1, Oak Park Village, as the same is platted and recorded in the office of the County Recorder of Mower County, Minnesota; described as follows:

Commencing at the southeasterly-most corner of said Lot 2, Block 1, Oak Park Village; thence North 00°35'30" West a distance of 352.07 feet, along the easterly line of said Lot 2, and a northerly extension thereof; thence North 59°46'06" West a distance of 157.40 feet, to a point on the centerline of a 64 foot wide utility easement, as shown on the plat of said Oak Park Village; thence Northeasterly along the centerline of said northerly-southerly platted utility easement, as follows: North 27°44'49" East a distance of 79.93 feet; Northeasterly a distance of 96.86 feet, on a tangential curve, concave to the northwest with a radius of 200.00 feet and a central angle of 27°44'49"; North 00°00'00" East a distance of 71.40 feet, on a tangential line; Northerly a distance of 19.34 feet, on a tangential curve, concave to the west with a radius of 200.00 feet and a central angle of 05°32'24", to the point of beginning;

thence Northerly a distance of 75.77 feet, on a continuation of the last described curve, with a radius of 200.00 feet, a central angle of 21°42'26", and a chord bearing of North 16°23'37" West;

thence North 27°14'50" West a distance of 55.16 feet, on a tangential line;

thence North 67°09'41" East a distance of 287.63 feet, to a point on the easterly-most line of said Lot 2;

thence South 00°35'30" East a distance of 198.30 feet, on the easterly-most line of said Lot 2, to a point 371.90 feet north of a southeasterly corner of said Lot 2;



thence South 81°04'35" West a distance of 223.32 feet, to the point of beginning.

LINE/CURVE	BEARING	DISTANCE	RADIUS
LINE A	S 23°04'42" W	34.71'	
LINE B	N 60°57'14" W	38.29'	
LINE C	N 38°32'05" W	67.60'	
CURVE D	CB N 44°08'45" W		113.99'
CURVE E	CA 12°31'10"	43.70'	200.00'
	CB N 20°59'15" W		
CURVE F	CA 27°44'49"	96.86'	200.00'
CURVE G	CA 14°17'35"	49.90'	200.00'
CURVE H	CA 13°27'14"	46.96'	200.00'
	CB N 06°43'37" E		
CURVE J	CA 05°32'24"	19.34'	200.00'
CURVE K	CA 09°11'16"	32.07'	200.00'
CURVE K+E	CA 21°42'26"	75.77'	200.00'
	CB N 16°23'37" W		
CURVE L	CA 04°59'06"	25.06'	288.08'
LINE M	N 32°13'56" W	31.73'	

NOTE:

THE LOCATION AND DIMENSIONS OF THE ROADWAY, UTILITY AND DRAINAGE EASEMENTS ARE SET FORTH IN THAT DOCUMENT RECORDED IMMEDIATELY PRIOR HERETO. THE EASEMENTS CONTAINED THEREIN BOTH BENEFIT AND BURDEN OAK PARK VILLAGE CONDOMINIUM.

LOCATION MAP




LEGEND

- = 5/8" Diameter x 16" iron stake monument (capped RLS 13807) - Placed
- = Iron stake monument - Found
- Ⓢ = Utility Easement

JONES, HAUGH & SMITH INC
CONSULTING ENGINEERS & LAND SURVEYORS
515 SOUTH WASHINGTON AVENUE
ALBERT LEA, MINNESOTA 56007
DECEMBER 2003
DRAWN BY GENE BUHR

OAK PARK VILLAGE CONDOMINIUM


SITE PLAN DETAILS AND FLOOR PLAN



BUILDING 16

UNITS 61, 62, 63 & 64

EXTERIOR DIMENSIONS OF FOUNDATION WALLS




BUILDING 16

UNITS 61, 62, 63 & 64

FLOOR PLAN

ALL 4 GARAGES
CEILING ELEV = 1230.70
FLOOR ELEV = 1222.70



NOTES TO FLOOR PLAN:

EXTERIOR UNIT BOUNDARY WALLS (EXCEPT AT GARAGES) ARE TYPICALLY 0.55 FEET IN THICKNESS.

INTERIOR UNIT BOUNDARY DIVIDING WALLS ARE TYPICALLY 0.86 FEET IN THICKNESS.

INTERIOR DIVIDING WALLS BETWEEN GARAGES ARE TYPICALLY 0.38 FEET IN THICKNESS.

EXTERIOR WALLS AT GARAGES ARE TYPICALLY 0.33 FEET IN THICKNESS.

INTERIOR UNIT BOUNDARY DIMENSIONS SHOWN ARE TO THE INSIDE FACE OF SHEETROCK WALLS.

FLOOR AND CEILING ELEVATIONS ARE REFERENCED TO THE BENCHMARK ELEVATION SHOWN ON SHEET 1.

JONES, HAUGH & SMITH INC
CONSULTING ENGINEERS & LAND SURVEYORS
515 SOUTH WASHINGTON AVENUE
ALBERT LEA, MINNESOTA 56007

DECEMBER 2003
DRAWN BY GENE BUHR