

# Are Your Kids Ready?

## What Minnesota's Immunization Law Requires

### Immunization Requirements

Use this chart as a guide to determine which vaccines are required to enroll in child care, early childhood programs, and school (online, home school, public, or private).

Find the child's age/grade level and look to see if your child had the number of shots shown by the checkmarks under each vaccine. The table on the back shows the ages when doses are due.

| Birth through 4 years<br>Early childhood programs & Child care | Age: 5 through 6 years <sup>③</sup><br>For Kindergarten   | Age: 7 through 11 years<br>For 1 <sup>st</sup> through 6 <sup>th</sup> grade | Age: 12 years and older<br>For 7 <sup>th</sup> through 12 <sup>th</sup> grade |
|--|---|--|---|
| Hepatitis A (Hep A)<br>✓                                       |   |  |   |
| Hepatitis B (Hep B)<br>✓✓✓                                     | Hepatitis B<br>✓✓✓  | Hepatitis B<br>✓✓✓   | Hepatitis B <sup>⑦</sup><br>✓✓✓   |
| DTaP/DT<br>✓✓✓✓  | DTaP/DT <sup>④</sup><br>✓✓✓✓✓   | ✓✓✓ tetanus and diphtheria containing doses <sup>⑥</sup>                     | ✓Tdap & DTaP series or catch-up series  |
| Polio<br>✓✓✓   | Polio <sup>⑤</sup><br>✓✓✓✓  | Polio <sup>⑧</sup><br>✓✓✓  | Polio <sup>⑧</sup><br>✓✓✓   |
| MMR<br>✓   | MMR<br>✓✓   | MMR<br>✓✓  | MMR<br>✓✓   |
| Hib<br>✓   |   |  | Meningococcal (ACWY) <sup>⑨</sup><br>✓ & booster                              |
| Pneumococcal <sup>①</sup><br>✓✓✓✓                              | It's not too late! If your child has fallen behind on their vaccinations, talk to your doctor or clinic to catch them up. |  |   |
| Varicella <sup>②</sup><br>✓                                    | Varicella <sup>②</sup><br>✓✓  | Varicella <sup>②</sup><br>✓✓   | Varicella<br>✓✓   |

### Immunizations recommended but not required:

|  |
|--|
| <b>COVID-19</b><br>For all children in an eligible age group         |
| <b>Influenza</b><br>Annually for all children age 6 months and older |
| <b>Rotavirus</b><br>For infants                                      |
| <b>Human papillomavirus</b><br>At age 11-12 years                    |

- ① Not required after 24 months.
- ② If the child has already had chickenpox disease, varicella shots are not required. If the disease occurred after 2010, the child's doctor must sign a form confirming disease.
- ③ First graders who are 6 years old and younger must follow the polio and DTaP/DT schedules for kindergarten.
- ④ Fifth shot of DTaP not needed if fourth shot was after age 4. Final dose of DTaP on or after age 4.
- ⑤ Fourth shot of polio not needed if third shot was after age 4. Final dose of polio on or after age 4.
- ⑥ One dose must have been pertussis-containing (i.e., DTaP or Tdap) and one dose must have been given after the fourth birthday. If the first dose in the series was given before age 12 months, then four doses are needed.
- ⑦ An alternate two-shot schedule of hepatitis B may also be used for kids age 11 through 15 years.
- ⑧ At least one dose must have been given after the fourth birthday. If the third dose was given before the fourth birthday, a fourth dose is needed.
- ⑨ One dose of meningococcal ACWY is required beginning at 7th grade. The meningococcal ACWY booster dose is recommended at 16 years and required for 12th grade students.

### Exemptions

To enroll in child care, early childhood programs, and school in Minnesota, children must show they've had these immunizations or file a legal exemption.

Parents may file a medical exemption signed by a health care provider or a non-medical exemption signed by a parent/guardian and notarized.